



# Portable Diesel Compressors

175 - 1350 CFM



People. Passion. Performance.



## Benefits:



## Features:

- Side-access service and centralized drain system.
- Extended-use fuel tank.
- Intuitive control panel.
- Compact design.
- High-efficiency screw element.
- Simplified Oil Separator Tank (Vessel Cover).
- User-friendly servicing.

# Technical Data:

Model	FAD (cfm)*	Working pressure (psig)	Capacity fuel tank (l)	L x W x H (mm)	Dry Weight (kg)	Engine Make	Engine Model	Engine (HP)												
CPS 175-100	175	100	59.8	Trailer mounted 2974 x 1346 x 1419	610	Kubota	V1505-CR-T-E5B	44												
CPS 300-100	300	102	100	Portable 3305 x 1680 x 1983 Skid Mounted	1360	Ashok Leyland Hino	AL W04D	80												
CPS 370-125	370	125	100		1440		AL W04CT	111												
CPS 400-100	400	102	100		1440															
CPS 400-150	425	150	150	Portable 3600 x 1735 x 1825 Skid Mounted 2631 x 1357 x 1580	Portable 1720 Skid Mounted 1520		AL HA4CTI	130												
CPS 425-125	425	125	150						Inline FIP											
CPS 500-185	508	185	190	Skid mounted 2850 x 1400 x 1919	1890	Ashok Leyland	ALUW06DTi	170												
CPS 450-200	450	200	190	Portable 3980 x 1960 x 2256 Skid Mounted 2985 x 1504 x 1919	Portable 2100 Skid Mounted 1890															
CPS 500-175	500	175	190																	
CPS 550-150	550	150	190																	
CPS 650-100	650	102	190																	
CPS 550-200	550	200	190																	
CPS 575-225	575	225	190																	
CPS 610-250	610	250	295	Skid mounted 3294 x 1632 x 2273 Portable 4420 x 2203 x 2721	Stationary 3030 Portable 3310				ALIN6Ti											
CPS 625-225	618	225	295																	
CPS 825-125	810	125	295																	
CPS 680-290	685	250/290	295	Skid mounted 3294 x 1632 x 2273	3190	A6			315											
CPS 715-175	694	175	295								3030									
CPS 750-250	745	204/247	295					3190												
CPS 850-290	850/750	246.5/290	-	3360 x 1600 x 2370	3650															
CPS 950-300	950	300	-	Skid Mounted 3942 x 1600 x 2465	4100	Cummins			NTA855C-BC	415										
CPS 1100-300	1100	300	-							NTA855C-BC	415									
CPS 1200-330	1200	330	-										NTA855C-BC	430						
CPS 1350-425	1250	362/425	-													KTA-1150-C	585			
																			KTA-1150-C	585

Specification are subject to change, without prior notice

\*according to ISO1217 ed.3 1996 annex D

Fuel Tank Available only for Portable Version



2/3/4/5/6 Jack Hammer Drilling Application Sand Blasting / Surface Preparation Application Ash Handling Application	CPS 300-100   CPS 400-100 CPS 650-1000   CPS 550-150
Sand Blasting / Surface Preparation Application/ LD4 drilling application / Shortcrete Application	CPS 370-125   CPS 400-100 CPS 400-150
Crawler Drilling Application for mining and stone quarry Water Well Drilling application for - 3" to 5.5" dia	CPS 450-200   CPS 500-175 CPS 550-150   CPS 550-200 CPS 575-225   CPS 625-225
Coal Overburden Removal	CPS 550-200   CPS 575-225 CPS 850-290
Water Well drilling Application - 6.5" to 12" dia	CPS 850-290   CPS 950-300 CPS 1100-300   CPS 1200-330 CPS 1350-425
Pigging Application Reverse Circulation Drilling Application	CPS 550-200   CPS 750-200 CPS 850-290   CPS 950-300 CPS 1100-300



# People. Passion. Performance.

LOCATION	MOBILE NUMBER	E-MAIL ID
<b>Maharashtra</b>	9607906819	shirish.amraj@cp.com
<b>Nagpur</b>	8051870991	gaurav.pandey@atlascope.com
<b>Rajasthan</b>	9549048482	hari.om@cp.com
<b>Ahmedabad</b>	9766656280	mahesh.gangera@cp.com
<b>Delhi</b>	9028342785	gaurav.solanki@cp.com
<b>Jharkhand</b>	9038391438	soutan.ghosh@cp.com
<b>West Bengal</b>	8051870991	gaurav.pandey@atlascope.com
<b>Telangana</b>	7702555320	mvn.raju@cp.com
<b>Chennai</b>	8484936902	hifzur.rahman@cp.com
<b>Bangalore</b>	8484936902	jjithin.chandran1@cp.com

ISO 9001:2015, ISO 45001:2018, ISO 14001:2015

For more information, please contact your CP partner:

For Product enquiries: [cpcesales.india@cp.com](mailto:cpcesales.india@cp.com)

For Service support : [cpceservice.india@cp.com](mailto:cpceservice.india@cp.com)

Reach us on **Whatsapp- 8956315361**  
**Toll free number @ 1800 120 110040**

Use only authorized parts. Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability.